

CHILD BEACH DAY COVER UP CAL—PART 4



Materials

Caron Cotton Cakes (2 cakes for 2/4 & 6/8, 3 for 10/12 & 14/16)

1/5.5 mm hook - or hook used to obtain gauge

Yarn needle

Scissors

Level

intermediate

Pattern notes & stitches to know

ch – chain

sl st - slip stitch

sc - single crochet

sc2tog - single crochet 2 together

- written in US terms
- ch 2 counts as dc

Sizes:

(2/4, 6/8, 10/12, 14/16) - The pattern is written in these sizes consecutively.

Approx Finished Size –

Chest: 2/4 (24") 6/8 (28") 10/12 (32") 14/16 (36")

Length: 2/4 (22") 6/8 (24") 10/12 (26") 14/16 (28")

Sleeve: 2/4 (13") 6/8 (15) 10/12 (17") 14/16 (19")

BEACH DAY COVER UP CAL - PART 4

VIDEO TUTORIAL FOR PART 4

SLEEVE CUFFS (optional)

Join yarn to a dc along bottom of the sleeve

Round 1: ch 1, sc in each dc around to shoulder seam, 1 sc in ch-2 space, 1 sc in the center of the seam, 1 sc in ch-2 space, sc in each remaining dc around, join to first sc with sl st

Round 2: ch 1, *sc, sc2tog* repeat from * to * around, join to first sc with sl st

Round 3: ch 1, sc in each stitch around, join to first sc with sl st

Fasten off. Weave in the ends.

Repeat other sleeve.

TWISTED FRINGE (optional)

Join yarn to a dc along the bottom of the skirt, ch 1.

*sl st in dc, and continue to pull the yarn until the loop is approx. the length of a crochet hook (about 6").

Twist the 6" loop towards you 20 times.

Fold twisted loop in half, sl st to the same stitch*

Repeat from * to * in each dc around the bottom.

Fasten off, weave in the ends.

DRAWSTING (optional)

ch 3

Row 1: insert hook into 2nd ch from hook and pull up a loop, insert hook into last ch and pull up a loop (3 loops on hook)

Row 2: secure the bottom of the loops with thumb and middle finger of left hand (or right hand if left handed), remove the two leftmost loops off the hook (or rightmost if lefthanded) -do not let them go- , you have 1 loop on the hook, ch 1, insert hook into middle loop, ch 1, insert hook into last loop, ch 1

Repeat row 2 until drawstring is 2X the waist measurement.

Fasten off. Weave in the ends.